
RAW SEQUENCE LISTING ERROR REPORT



A PARTIES AND A

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/699, 667

Source: 01PE

Date Processed by STIC: 11-28-00

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,

2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 e-mail help: patin30help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE <u>CHECKER</u> <u>VERSION 3.0 PROGRAM</u>, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

Checker Version 3.0

The Checker Version 3.0 application is a state-of the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 – 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address: http://www.uspto.gov/web/offices/pac/checker

App ation No.: 09 699.66

NOTICE TO COMPLY WITH REQUIREMENTS FOR PATENT APPLICATIONS CONTAINTING NUCLEOTIDE SEQUENCE AND/OR AMINO ACID SEQUENCE DISCLOSURES

The nucleotide and/or amino acid sequence disclosure contained in this application does reot comply with the requirements for such a disclosure as set forth in 37 C.F.R. 1.821 - 1.825 for the following reason(s):

1. This application clearly fails to comply with the requirements of 37 C.F.R. 1.821-1.825. Applican 1 attention is directed to these regulations, published at 1114 OG 29, May 15, 1990 and at 55 FR 18230, May 1, 1990.	's
2. This application does not contain, as a separate part of the disclosure on paper copy, a "Sequen Listing" as required by 37 C.F.R. 1.821(c).	:e
3. A copy of the "Sequence Listing" in computer readable form has not been submitted as required 1 37 C.F.R. 1.821(e).	ЭΥ
4. A copy of the "Sequence Listing" in computer readable form has been submitted. However, the content of the computer readable form does not comply with the requirements of 37 C.F.R. 1.822 and/or 1.823, as indicated on the attached copy of the marked -up "Raw Sequence Listing."	
5. The computer readable form that has been filed with this application has been found to be damaged and/or unreadable as indicated on the attached CRF Diskette Problem Report. A Substitute computer readable form must be submitted as required by 37 C.F.R. 1.825(d).	ed
6. The paper copy of the "Sequence Listing" is not the same as the computer readable from of the "Sequence Listing" as required by 37 C.F.R. 1.821(e).	
7. Other:	
Applicant Must Provide:	
An initial or substitute computer readable form (CRF) copy of the "Sequence Listing".	•
An initial or substitute paper copy of the "Sequence Listing", as well as an amendment directing its en into the specification.	itry
A statement that the content of the paper and computer readable copies are the same and, where applicable, include no new matter, as required by 37 C.F.R. 1.821(e) or 1.821(f) or 1.821(g) or 1.825(b) or 1.825(d).	
For questions regarding compliance to these requirements, please contact:	
For Rules Interpretation, call (703) 308-4216	
For CRF Submission Help, call (703) 308-4212	
Patentin Software Program Support (SIRA)	
Technical Assistance703-287-0200 To Purchase Patentin Software703-306-2600	•
IU FUILIASE FAICHUI OUMAIO	

PLEASE RETURN A COPY OF THIS NOTICE WITH YOUR RESPONSE

ERROR DETECTED SUGGESTED CORRECTION

ATTN	: NEW RULES CASES: F	PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INTERTED BY PTO SOFTWARE
1	Wrapped Nucleics	The number/text at the end of each line "wrapped" down to the next line.
		This may occur if your file was retrieved in a word processor after creating it,
		Please adjust your right margin to .3, as this will prevent "wrapping".
. 2	Wrapped Aminos	The amino acid number/text at the end of each line "wrapped" down to the next line.
		This may occur if your file was retrieved in a word processor after creating it.
		Please adjust your right margin to .3, as this will prevent "wrapping".
3	Incorrect Line Length	The rules require that a line not exceed 72 characters in length. This includes spaces.
4	Misaligned Amino Acid	The numbering under each 5th amino acid is misaligned. This may be caused by the use of tabs
	Numbering	between the numbering. It is recommended to delete any tabs and use spacing between the numbers.
5	Non-ASCII	This file was not saved in ASCII (DOS) text, as required by the Sequence Rules.
		Please ensure your subsequent submission is saved in ASCII text so that it can be processed.
		•
6	Variable Length	Sequence(s) contain n's or Xaa's which represented more than one residue.
		As per the rules, each n or Xaa can only represent a single residue.
		Please present the maximum number of each residue having variable length and indicate in the (ix) feature section that some may be missing.
		maiosis in the (ii) reside contain that some may be mading.
7	Patentin ver. 2.0 "bug"	A "bug" in Patentln version 2.0 has caused the <220>-<223> section to be missing from amino acid
		sequence(s) Normally, Patentin would automatically generate this section from the
		previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section
		to the subsequent amino acid sequence. This applies primarily to the mandatory <220>~223>
		sections for Artificial or Unknown sequences.
8	Skipped Sequences	Sequence(s) missing. If intentional, please use the following format for each skipped sequence
,	(OLD RULES)	(2) INFORMATION FOR SEQ ID NO:X:
•		(i) SEQUENCE CHARACTERISTICS:(Do not insert any headings under "SEQUENCE CHARACTERISTICS")
		(xi) SEQUENCE DESCRIPTION:SEQ ID NO:X:
		This sequence is intentionally skipped
	· .	Please also adjust the "(iii) NUMBER OF SEQUENCES:" response to include the skipped sequence(s)
		terror des
9	Skipped Sequences	Sequence(s) missing. If intentional, please use the following format for each skipped sequence.
	(NEW RULES)	<210> sequence id number
		<400> sequence id number
,		000
10	Use of n's or Xaa's	Use of n's and/or Xaa's have been detected in the Sequence Listing.
	(NEW RULES)	Use of <220> to <223> is MANDATORY if n's or Xaa's are present.
	(**************************************	In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.
11	Use of <213>Organism	Sequence(s) are missing this mandatory field or its response.
	(NEW RULES)	
12	Use of <220>Feature	Sequence(s) are missing the <220>Feature and associated headings.
	(NEW RULES)	Use of <220> to <223> is MANDATORY if <213>ORGANISM is "Artificial" or "Unknown"
	·•	Please explain source of genetic material in <220> to <223> section.
		(See "Federal Register," 6/01/98, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of new Rules)
		(Jet. 1.023 bi fiew Rules)
13	Patentin ver. 2.0 "bug"	Please do not use "Copy to Disk" function of Patentin version 2.0. This causes a corrupted
	•	file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing).
		Instead, please use "File Manager" or any other means to copy file to floppy disk.

OIPE

```
Input Sot : N:\COPIES\EBONY\09699667.txt
                      output Sett: N:\CRF3\11282000\1699667.raw
      5 KILOS APPLICANT, Particult. Joan-Pierre
              Amanyoranich Sitimart
              fatontains, buniel
              University to Shealth year
     1 1
     15 91209 Fills . Instruction: No logo held Encyme for RNA Clearage
     Pt (130) FILE REPLEBURE 77475-12
C--> 23 <140> CURRENT APPLICATION NUMBER: US/09/699,667
     25 -0141 CURRENT FOR CALL 2000 1 - 36
     29 CISON PRIOR AND BUYETON NUMBERS ACT/CAS9/00391
     31 <1512 PRIOR 1414PR 1634 : 1999-04-29
     35 41502 PRIOR New 1 PAGE ON SUMBLE: CA 2,230,203
     37 (151) PRIOR FOLING MALE: 1998- 4-29 ...
     41 < 160% NUMBER OF STOLET NO. 54
     45 <170> SOFIWARE Percent in Ver. 2.0
     49 $2100 SEQ 1L Both 1
     51 <211> LENGTH (1)
     53 -212> TYPE: DNA
     55 (213) OFGANISH: Artiff full Sequence
     59 F220 FEATURE
     61 <223> GUMER IN CONTROL of Societies of Artificial Sequence: modestide 63 — sequence restricted or beneatestides of a
               combination of the new hostides and
              decky number of the sec-
         <406: SEQUENT.
     76 nnrhgnnhnn n
         :210 × SFQ TL B
     79 (21) LENGIH.
     R1 <212% TYPE: PS
                         intration as sergiotistic
     83 421 to ORGANISH
     8% .220% FEATURE.
     89 (2235) OTHER THE FILL . H. Description of Artificial Sequence: nucleotide
               sequence of the control of a connection idea of a
     93
               combinations of consequences, idea and
              deoxyrot all out its
     99 Clour SPOURD:
   -> #01 rrrhgnnhnn n
     105-0.210 នាភ្នាក់ ១
     107 2115 ELNGIS, 3
     109 4212 - TYPE: F1
     111 <213 ORGANIST
                           Constant and Boppenson
     115 <220. PEATURE
     117 82230 OTHER FROM COMMENT OF SUPERFORM OF Artificial Sequences nucleotide
               sequence suppose to the marketides or a
                combination of the transportates and
     1.31
                decognations and the
     173
     127 - 400 SEQUENTE
                                                                               11
   > 120 gggcgnnunn n
```

RAW SEQUENCE LISTING

ECHERIC AREE ECOLION: US/09/699,667

Does Not Comply Corrected Diskette Needed

DATE: 11/28/260-

T4HE: 02:36:25

Missing Mondadol 7

Missing Mondadol 7

Leatures

Leatur

imput Set : N:\COPIES\EBONY\09699667.txt uniput Set: N:\CRF3\11282000\1699667.raw 153 <210> SE0 IE B : 4 135.32TIS LENGTH, IE 137 (212) TYPE: PNA 139 (217) OFGAMISH: Artificial Sequence 145 (220) FEATOR: : 145 <223% Office (Newdisciper: Description of Allitrial Sequence: address do 147 sequence, comparised of dibonacted ides or a 149 combination of ribonucleotides and 151 decentifyangelectides $<4000\times \underline{SE_{2}00} \times \Lambda = 4$ 157 gggcgnnhnn n 161 2103 State 11 14 163 <211> LENGIE: 11 16% <212% TYPE: PNC 167 [2135 ORGANISM: Artificial Sequence 171 <220> FE5199a: 173 <223> OTHER INFORMATION: Description of Artificial Sequence: mucleofide 175 sequence compaised of rebonnelectides or a 177 combination of releast tootides and: 179 deoxyrabonacle, tides 183 (400) SEOUIN 1: 5 -> (85 gggugnnunn n 11 7210 - SEQ 11 1800 -191 <211> LENGIE: 1. 193 (213) TYPE: TW 1.5 <215 ORGANISH, Artificial Sequence 199 (220) PLATEST 201 (223) OTHER INCOMES THE Description of Stilligial Sequence: madical ch 203 sequence campased of ribonucleotides or a . 20% combination of reconstructides and 207 deox of last constants 211 <400 × SEQUENCE: 6 > 213 gggugnnenn nn 12 21" <210; SEQ 11 h 219 <211> LENGTH: 11 221 #212> TYPE: 1705 223 K2130 ORGANISH, Setational & phonon 227 KL200 FEATUR. 226 (223) OTHER AND ROLLS Of Consequence of Artifornal Sequence, projection sequence of the some torobonic bed lides on a 231 combined on a dear to number ides and deoxyrebess in the base 211 235 239 <4905 SEOULE + .

RAW SEQUENCE LISTING

BAIR No. ABELI VII BON . US/09/699,667

DATE: 11/20/2000 TIME: 09.70:27

11

missing mondatoriting

12237 feeture

12207 feeture

10 the secretarian

-> 241 aaacgnnunn n

245 (210) SEQ 11 N 247 (211) (ENGIE: 249 (212) (YPE: em-

255 <220> FEATURE.

251 k2132 ORGANION And its rul Sequence

```
1100:09:39:27
                  PATENT - FP11 7-1100 US/09/699,667
                  Input Set : N:\COPIES\EBONY\09699667.txt
                  output Set: N:\CRF3\11282000\1699667.raw
  257 S2239 OTHER EMPCREATION: Loser:ption of Artificial Sequences incline ade
            sequence comprised of ribonicities ides or a
  259
                                             Same to p2 11
            combined for of hilbonariestades and
  264
  26,3
            deoxy: Domestion ides
       10an SPORES
>269 yhrhgnnhnn n
  2.75 < 2.14 > (1.00018) < 1.1
  277 <212> TYPL: WNA
  279 (215) ORGANISM, Fruitzeigh Sequence
  283 (220) FEATURE . .
  285 K2232 OIRFE THORRAGION: bescription of Artificial Sequence: swithetic sha
  287
           sequinor
  291 <400% SEQUENTE:
  293 gagcagaacq à
  297 <210> SEQ 11: No. 1 +
  29% <211× LENGIA 10
  301 (212× 1YFE: PNA
  303 <213> ORGANIUM And Charach Sequences
  307 (220> FUATURE)
  309 (223) OTHER ON WHALLOW, Loseription of Artificial Sequence: southern that
  311
            sequence.
  315 (4005 SEQUENCE
  317 дереступист
  321 (210) SEQ 1. 50 11
  323 ×211> LENGTH. ...
  (85 (212) TYPE: 104
  327 K21 GO ORGANISH Containing Asserted
  331 3220> PEATURE
  333 s223b OTHER Chirality to be straightful of Artificial Sequence, Synthetic She
  3 3 5
           seques.
  339 %490% SEQUENCY .
  141 gagadaqquag o
  315 kg100 SEC 11 W
  34" <2115 LENGTH. .
  349 @12> TYPE: 15-
  351 K2135 ORGANISM: Setsition at Pequebee
  355 K2200 PEADE:
  457 <223. OTHER DB-FPC Co. to scription of Artificial Sequence Synthetic BB/
            Sequence
  363 < 100% SEQUENCE: . . . .
  365 agadodggung at
  369 <210> SEO 11-8
  371 <211 LENGTH . . .
  373 (212) TYPE: 16
  375 <23 to ORGANISE.
                      Constitution and compared to ex-
  379 <220° FEATING
```

381 <223> ÖTHER, the the store to scription of Artificial Sequence, scatnetic bmA

DATE: 11/23/200

RAW SEQUENCE LISTING

د 38

sequen -

Inpo Set : N:\COPIES\EBONY\09699667.txt
edtpa: Set: N:\CRF3\11282000\1699667.raw

```
387 <400 SEQUENCE 11
1380 gaqcqaqucq q
 393 (210) SLO 18 N (11)
 39% /21Th LENGIN [1
397 5.2122 TYPE: 887.
 399 8215> OKCANISH Fitticial Sequences
403 <220 - FLAIUEL:
495 32238 OIBER 180 RECEIVED Description of Artificial Sergence: synthetic RES
407
         sequence:
411 <400 > SEQUENCE | 14
413 gandauqueq a
                                                                      1.1
417 (210) SEG 16 Box 45
449 <211> LENGIN 11
421 (232) TYPE: PK.
423 (213) OKGÁNISH, agtificial Sequence
427 <220% FEATUR.
429 (223) OIBUR (No. 8% fight bescription of Artificial Sequence: synthetic, kW
431
         seques, 5
455 400 - 81 QULITY . . . .
437 дияспявания я
                                                                      11
441 32105 866 16 9 16
443 <211> LENGTH C. F.
445 /2125 TYPE: 1855
447 (213) OBGANION Firth, the Sequence
451 .2200 PLATURE
453 k2232 OTHOR 19. POSIDER, to Scription of Artificial Sequence, synthetic ANA
155
      Seque
459 400 SEQUENCE: ...
461 gggegguung g
465-42100 880 10 5
467 0211 AFROTE 1:
469 42125 TYPE: 400
471 K2132 ORGANISM: Not 1 ... As Supposed
475 <2200 FEATURE
477 <22 % OTREE OF FIRST 5 Inscription of Artificial Segmence, synthetic RRA
479 • sequen-
483 -: 4000 STONES 1 .
485 ggacqqqqcq q
                                                                     11 .
489 <210. SEQ 10.21.
491 <211> fingth. 1.
499C <2200 FFA10Ha
501 K223% OTHER TWO Setting to a secreption of Arteriolal Sequencer synthetic Sta-
       sequer.
507 KINGS SLOUENCE
509 gggcgggggg a
513 <210; SEO II . . . . .
515 <2112 LENGIE ...
```

PARENT APPLICATION US/09/699.667

DATE: 11/25/200 FIME: 59.26:27

| input | Set | N:\COPIES\EBONY\09699667.txt | Comput | Set | N:\CRF3\11282000\1699667.raw

```
517 <2128 TYPE, 50A
519 8210 ORGANISH: Arrithdial Septence
523 (220 - ELAIMER)
525 K223s OTHER EMPERATION: Description of Artificial Sequence: Synthetic LBC
         segantine
531 <4000 SEQUENT:
5७४ वर्षेष्ठावयुव्यवस्थाः स
537 (210) 819 15 85 20
539 <2115 LENGTH: 11
511 8212× 1700 . 80A
543 K2138 OPGAR ER: Artillatia, Sesponde
545 k220% TEAT JP+ 5
549-32238 office for armatisms, poscription of Artificial Sequence: synthetic FMA
         sogen, a
551
555 :400 - SLOWER LOVE -
557 gagegagana 🕕
564 (210% SLO is $60, 2)
563 (211) LENGTO, In-
565 (212% TYRE: 18%
567 (2138 OFWAMISH, Almaticial Sequence
571 3220% FEATURE.
573 <2235 OTHER INCOMMENTAL Bescription of Artificial Sequences synthetic ANA
575 sequence
579 (400) SEQUEDES 11
581 даасадансь a
587 (210) SEG 10 N . 1...
587 (211) LUNGI
589 (202) IXPL: 15%
591 <213% ORGANISH: Activity to a copyrighter or
595 (2200 FEATUR)
597 (2200 OTHER 191 BHELLOW I WOLDSTON OF FILEFLOWAR PROPERTY WAS LIGHT FIRE
599
       sequences
60° <4005 SE0015-T
605 զգրոցգրարգ 👉 🕭 🦠
609 (210) SEO II N / /
61 C < 212; TYPE - 5N
615 R2135 ORGANISHS of CLOSE AS Appeal to
619 02200 TFATOUR
621 82235 OTHER INCHES AS A Scarpfron of Admiralat Sequences synthesis FMA
         seque :- 😁
623 sequent
627 × 406 ($1.000).
629 ggadggdung a
631 (210) SEO HOR (24)
635 <211> LENGTH F.
 637 K2125 TYPES PUS
(639-0213) ORGANIS Million Control Sequence
 643 K2202 PEATURE
 645 <2235 OTHER TRE With Mass Toss wild row of Artificial Sequence: Sindher 1 RMA
```

VERIFICATION SUMMARY

- IWARE - 1172872566

thAnati (1.3110%).etc (tS/09/699,667).

7 - SIME 100 128

 $\label{eq:control_section} $$\inf_{t \in \mathcal{T}_{p+1}^{(p)}} S(t) : N:\COPIES\EBONY\096699667.txt $$ \exp(t) : N:\CRF3\11282000\1699667.raw $$$

1:23 M:270 C: Current Aprillation Rember 4. (fors Replaced Variant Aprilation Rember 1:13 B:258 W: Mandator (restor Missing 221) not found for SFG Heart 1:13 M:288 W: Mandator (restor bissing 222) not found for SFG Heart 1:13 M:288 W: Mandator (restor bissing 222) not found for SFG Heart 1:10 M:258 W: Mandator (restor bissing 221) not found for SFG Heart 1:10 M:258 W: Mandator (restor bissing 221) not found for SFG Heart 1:10 M:258 W: Mandator (restor bissing 221) not found for SFG Heart 1:12 M:258 W: Mandator (Fating bissing 221) not found for SFG Heart 1:12 M:258 W: Mandator (Fating bissing 221) not found for SFG Heart 1:12 M:258 W: Mandator (Fating bissing 221) not found for SFG Heart 1:12 M:258 W: Mandator (Fating bissing 222) not found for SFG Heart 1:12 M:258 W: Mandator (Fating bissing 222) not found for SFG Heart 1:15 M:258 W: Mandator (Fating bissing) 222 not found for SFG Heart 1:15 M:258 W: Mandator (Fating bissing) 222 not found for SFG Heart 1:15 M:258 W: Mandator (Fating bissing) 222 not found for SFG Heart 1:15 M:258 W: Mandator (Fating bissing) 222 not found for SFG Heart 1:15 M:258 W: Mandator (Fating bissing) 222 not found for SFG Heart 1:18 M:258 W: Mandator (Fating bissing) 222 not found for SFG Heart 1:21 M:258 W: Mandator (Fating bissing) 222 not found for SFG Heart 1:21 M:258 W: Mandator (Fating bissing) 222 not found for SFG Heart 1:21 M:258 W: Mandator (Fating bissing) 222 not found for SFG Heart 1:24 M:258 W: Mandator (Fating bissing) 221 not found for SFG Heart 1:24 M:258 W: Mandator (Fating bissing) 221 not found for SFG Heart 1:24 M:258 W: Mandator (Fating bissing) 221 not found for SFG Heart 1:24 M:258 W: Mandator (Fating bissing) 221 not found for SFG Heart 1:24 M:258 W: Mandator (Fating bissing) 221 not found for SFG Heart 1:24 M:258 W: Mandator (Fating bissing) 221 not found for SFG Heart 1:24 M:258 W: Mandator (Fating bissing) 221 not found for SFG Heart 1:24 M:258 W: Mandator (Fating bissing) 221 not found for SFG Heart 1:24 M:258 W: Mandator (Fating bissing) 221 not found for